

EAST Search History

EAST Search History (Prior Art)

| Ref # | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|-------|------|--|--|------------------|---------|---------------------|
| L1 | 0 | ((program or code or application) near3 (creat\$3 or generat \$3)).CLM. and (((mobile or portable) near3 device) or "PDA").CLM. and ((display or screen) near3 stor\$4).CLM. and (accept\$3).CLM. and (produc\$4).CLM. and (compil\$3).CLM. and (instruct\$4 or control\$3).CLM. and 455/412.1.CCLS. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2010/04/17 02:17 |
| L2 | 0 | ((program or code or application) near3 (creat\$3 or generat \$3)).CLM. and (((mobile or portable) near3 device) or "PDA").CLM. and ((display or screen) near3 stor\$4).CLM. and (accept\$3).CLM. and (produc\$4).CLM. and (compil\$3).CLM. and (instruct\$4 or control\$3).CLM. and 717/106.CCLS. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2010/04/17 02:17 |
| L3 | 0 | ((program or code or application) near3 (creat\$3 or generat \$3)).CLM. and (((mobile or portable) near3 device) or "PDA").CLM. and ((display or screen) near3 stor\$4).CLM. and (accept\$3).CLM. and (produc\$4).CLM. and (compil\$3).CLM. and (instruct\$4 or control\$3).CLM. and 717/113.CCLS. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2010/04/17 02:17 |

| | | | | | | |
|----|-----|--|--|----|-----|---------------------|
| S1 | 2 | "20070168912" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/10/27 10:06 |
| S3 | 229 | ((paramete\$2 or input) same ((creat\$3 or generat\$3) near5 (program or code or application or source))) and ((compil\$3 near4 (program or source or code or application)) same (execut\$4 or run \$4)) and ((predetermind\$3 or designat\$3) near3 (process or function)) and (@ad < "20030820" or @prad < "20030820" or @rlad < "20030820") | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/10/27 14:27 |
| S4 | 116 | ((paramete\$2 or input) same ((creat\$3 or generat\$3) near5 (program or code or application or source))) and ((instruct\$3 or notif \$5 or control\$3) same ((compil\$3 near4 (program or source or code or application))) same (execut\$4 or run \$4)) and ((predetermind\$3 or designat\$3) near3 (process or function)) and (@ad < "20030820" or @prad < "20030820" or @rlad < "20030820") | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/10/27 14:28 |

| | | | | | | |
|----|----|--|--|----|-----|------------------|
| S6 | 0 | ((paramete\$2 or input) same ((creat\$3 or generat\$3) near5 (program or code or application or source))) and ((instruct\$3 or notif\$5 or control\$3) same ((compil\$3 near4 (program or source or code or application))) same (execut\$4 or run\$4)) and ((predetermind\$3 or designat\$3) near3 (process or function)) and (check\$3 same ((data or program) near5 size)) and (@ad < "20030820" or @prad < "20030820" or @rlad < "20030820")) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/10/27 14:30 |
| S7 | 32 | ((paramete\$2 or input) same ((creat\$3 or generat\$3) near5 (program or code or application or source))) and ((instruct\$3 or notif\$5 or control\$3) same ((compil\$3 near4 (program or source or code or application))) same (execut\$4 or run\$4)) and ((predetermind\$3 or designat\$3) near3 (process or function)) and ((data or program) near5 size) and (@ad < "20030820" or @prad < "20030820" or @rlad < "20030820")) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/10/27 14:31 |

| | | | | | | |
|----|----|--|--|----|-----|------------------|
| S8 | 0 | ((paramete\$2 or input) same ((creat\$3 or generat\$3) near5 (program or code or application or source))) and ((instruct\$3 or notif\$5 or control\$3) same ((compil\$3 near4 (program or source or code or application))) same (execut\$4 or run\$4)) and ((predetermind\$3 or designat\$3) near3 (process or function)) and ((data or program or code) near5 size) and ((terminal or mobile) near3 device) and (@ad < "20030820" or @prad < "20030820" or @rlad < "20030820")) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/10/27 14:32 |
| S9 | 32 | ((paramete\$2 or input) same ((creat\$3 or generat\$3) near5 (program or code or application or source))) and ((instruct\$3 or notif\$5 or control\$3) same ((compil\$3 near4 (program or source or code or application))) same (execut\$4 or run\$4)) and ((predetermind\$3 or designat\$3) near3 (process or function)) and ((data or program or code) near5 size) and (@ad < "20030820" or @prad < "20030820" or @rlad < "20030820")) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/10/27 14:32 |

| | | | | | | |
|-----|---|---|--|----|-----|------------------|
| S10 | 0 | ((paramete\$2 or input) same ((creat\$3 or generat\$3) near5 (program or code or application or source))) and ((instruct\$3 or notif\$5 or control\$3) same ((compil\$3 near4 (program or source or code or application))) same (execut\$4 or run\$4)) and ((predetermind\$3 or designat\$3) near3 (process or function)) and ((check\$3 or verify\$3 or examin\$3) near4 ((data or program or code) near5 size)) and (@ad < "20030820" or @prad < "20030820" or @rlad < "20030820")) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/10/27 14:33 |
| S11 | 0 | ((paramete\$2 or input) same ((creat\$3 or generat\$3) near5 (program or code or application or source))) and ((instruct\$3 or notif\$5 or control\$3) same ((compil\$3 near4 (program or source or code or application))) same (execut\$4 or run\$4)) and ((predetermind\$3 or designat\$3) near3 (process or function)) and ((check\$3 or verify\$3 or examin\$3) same ((data or program or code) near5 size)) and (@ad < "20030820" or @prad < "20030820" or @rlad < "20030820")) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/10/27 14:34 |

| | | | | | | |
|-----|----|--|--|----|-----|---------------------|
| S12 | 33 | ((paramete\$2 or input) same ((creat\$3 or generat\$3 or regenerat\$3 or develop\$5) near5 (program or code or application or source))) and ((instruct\$3 or notif\$5 or control\$3) same ((compil\$3 near4 (program or source or code or application))) same (execut\$4 or run\$4)) and ((predetermind\$3 or designat\$3) near3 (process or function)) and ((data or program or code) near5 size) and (@ad < "20030820" or @prad < "20030820" or @rlad < "20030820")) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/10/27 14:35 |
| S13 | 1 | S12 and ((mobile or remote) near4 device) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/10/27 14:38 |
| S15 | 11 | S12 and (((mobile or remote) near4 device) or (PDA)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/10/27 14:39 |
| S16 | 68 | ((((program or source or code) near4 (generat\$3 or develop\$4 or creat\$3 or regenerat\$4)) same ((base or basis) near4 (paramete\$2 or input))) and (compil\$3 near5 (program or source or code)) and (@ad < "20030820" or @prad < "20030820" or @rlad < "20030820")) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/10/28 16:43 |

| | | | | | | |
|-----|-----|---|--|----|-----|---------------------|
| S17 | 2 | ((program or source or code) near4 (generat\$3 or develop\$4 or creat\$3 or regenerat\$4)) same ((base or basis) near4 (paramete\$2 or input))) and (compil\$3 near5 (program or source or code)) and ((portable or mobile or predetermined) near3 device) and (@ad < "20030820" or @prad < "20030820" or @rlad < "20030820") | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/10/28 16:45 |
| S18 | 6 | ((program or source or code) near4 (generat\$3 or develop\$4 or creat\$3 or regenerat\$4)) same ((base or basis) near4 (paramete\$2 or input))) and (compil\$3 near5 (program or source or code)) and ((portable or mobile or predetermined or terminal) near3 device) and (@ad < "20030820" or @prad < "20030820" or @rlad < "20030820") | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/10/28 16:45 |
| S19 | 737 | ((program or source or code) near5 (generat\$3 or develop\$4 or creat\$3 or regenerat\$4)) same (paramete\$2 or input)) and (compil\$3 near5 (program or source or code)) and ((portable or mobile or predetermined or terminal) near3 device) and (@ad < "20030820" or @prad < "20030820" or @rlad < "20030820") | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/10/28 22:47 |

| | | | | | | |
|-----|-----|--|--|----|-----|------------------|
| S20 | 804 | ((program or source or code) near3 (generat\$3 or develop\$4 or creat\$3 or regenerat\$4 or produc\$5)) same (paramete\$2 or input)) and (compil\$3 near5 (program or source or code)) and ((portable or mobile or predetermined or terminal) near3 device) and (@ad < "20030820" or @prad < "20030820" or @rlad < "20030820") | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/10/28 22:48 |
| S21 | 9 | ((program or source or code) near3 (generat\$3 or develop\$4 or creat\$3 or regenerat\$4 or produc\$5)) same (paramete\$2 or input)) and (compil\$3 near5 (program or source or code)) and ((portable or mobile or predetermined or terminal) near3 device) and (((investigat\$3 or check\$3 or examin\$3) near3 (program or data or code) near3 size)) and (@ad < "20030820" or @prad < "20030820" or @rlad < "20030820") | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/10/28 22:50 |
| S22 | 165 | ((program or source or code) near3 (generat\$3 or develop\$4 or creat\$3 or regenerat\$4 or produc\$5)) same (paramete\$2 or input)) and (compil\$3 near5 (program or source or code)) and ((portable or mobile or predetermined or terminal) near3 device) and ((program or source or code) near3 (generat\$3 or develop\$4 or creat\$3 or regenerat\$4 or produc\$5)).AB. and (@ad < | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/10/28 23:01 |

| | | | | | | |
|-----|-----|---|--|----|-----|---------------------|
| | | "20030820" or @prad < "20030820" or @rlad < "20030820") | | | | |
| S23 | 196 | ((program or source or code) near3 (generat \$3 or develop\$4 or creat\$3 or regenerat\$4 or produc\$5)) same (paramete\$2 or input)) and (compil\$3 near5 (program or source or code)) and ((portable or mobile or predetermined or terminal) near3 device) and ((program or source or code) near4 (generat\$3 or develop \$4 or creat\$3 or regenerat\$4 or produc \$5)).AB. and (@ad < "20030820" or @prad < "20030820" or @rlad < "20030820") | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/10/28 23:01 |
| S24 | 237 | ((program or source or code) near3 (generat \$3 or develop\$4 or creat\$3 or regenerat\$4 or produc\$5)) same (paramete\$2 or input)) and (compil\$3 near5 (program or source or code)) and ((portable or mobile or predetermined or terminal) near3 device) and ((program or source or code) near7 (generat\$3 or develop \$4 or creat\$3 or regenerat\$4 or produc \$5)).AB. and (@ad < "20030820" or @prad < "20030820" or @rlad < "20030820") | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/10/28 23:01 |

| | | | | | | |
|-----|-----|--|--|----|-----|------------------|
| S25 | 100 | (((program or source or code) near3 (generat\$3 or develop\$4 or creat\$3 or regenerat\$4 or produc\$5)) same (paramete\$2 or input)) and (compil\$3 near5 (program or source or code)) and ((portable or mobile or predetermined or terminal) near3 device) and ((program or source or code) near7 (generat\$3 or develop\$4 or creat\$3 or regenerat\$4 or produc\$5)).AB. and ((program or code or data or application) near4 size) and (@ad < "20030820" or @prad < "20030820" or @rlad < "20030820") | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/10/28 23:02 |
| S26 | 0 | (((program or source or code) near5 (generat\$3 or develop\$4 or creat\$3 or regenerat\$4 or produc\$5)) same (paramete\$2 or input)) and (compil\$3 near5 (program or source or code)) and ((portable or mobile or predetermined or terminal) near3 device) and ((program or source or code) near7 (generat\$3 or develop\$4 or creat\$3 or regenerat\$4 or produc\$5)).AB. and ((program or code or data or application) near4 size) and "accepting unit" and (@ad < "20030820" or @prad < "20030820" or @rlad < "20030820") | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/10/28 23:04 |

| | | | | | | |
|-----|---|--|--|----|-----|------------------|
| S27 | 0 | (((program or source or code) near5 (generat\$3 or develop\$4 or creat\$3 or regenerat\$4 or produc\$5)) same (paramete\$2 or input)) and (compil\$3 near5 (program or source or code)) and ((portable or mobile or predetermined or terminal) near3 device) and ((program or source or code) near7 (generat\$3 or develop\$4 or creat\$3 or regenerat\$4 or produc\$5)).AB. and "accepting unit" and (@ad < "20030820" or @prad < "20030820" or @rlad < "20030820") | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/10/28 23:04 |
| S28 | 1 | (((program or source or code) near3 (generat\$3 or develop\$4 or creat\$3 or regenerat\$4 or produc\$5)) same (paramete\$2 or input)) and (compil\$3 near5 (program or source or code)) and ((portable or mobile or predetermined or terminal) near3 device) and "accepting unit" and (@ad < "20030820" or @prad < "20030820" or @rlad < "20030820") | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/10/28 23:05 |
| S29 | 1 | (((program or source or code) near6 (generat\$3 or develop\$4 or creat\$3 or regenerat\$4 or produc\$5)) same (paramete\$2 or input)) and (compil\$3 near5 (program or source or code)) and ((portable or mobile or predetermined or terminal) near3 device) and "accepting unit" and (@ad < | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/10/28 23:07 |

| | | | | | | |
|-----|-----|---|--|----|-----|---------------------|
| | | "20030820" or @prad < "20030820" or @rlad < "20030820") | | | | |
| S30 | 4 | ((((program or source or code) near6 (generat \$3 or develop\$4 or creat\$3 or regenerat\$4 or produc\$5)) same (paramete\$2 or input)) and (compil\$3 near5 (program or source or code)) and ((portable or mobile or predetermined or terminal) near3 device) and "accepting unit" and (@ad < "20060824" or @prad < "20030820" or @rlad < "20030820") | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/10/28 23:10 |
| S32 | 778 | ((((program or source or code) near6 (generat \$3 or develop\$4 or creat\$3 or regenerat\$4 or produc\$5)) same (paramete\$2 or input)) and (compil\$3 near4 (program or code or source)) and ((portable or mobile or terminal) near3 device) and (@ad < "20030820" or @prad < "20030820" or @rlad < "20030820") | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/10/29 00:38 |
| S33 | 185 | ((((program or source or code) near5 (generat \$3 or develop\$4 or creat\$3 or regenerat\$4 or produc\$5)) same (paramete\$2 or input)) and (compil\$3 near4 (program or code or source)) and ((portable or mobile or terminal) near3 device) and ((program or source or code) near5 (generat \$3 or develop\$4 or creat\$3 or regenerat\$4 or produc\$5)).AB. and (@ad < "20030820" or @prad < "20030820" or @rlad < | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/10/29 00:38 |

| | | | | | | |
|-----|---|--|--|----|-----|---------------------|
| | | "20030820") | | | | |
| S34 | 4 | ((program or source or code) near5 (generat\$3 or develop\$4 or creat\$3 or regenerat\$4 or produc\$5)) same ((base or basis or depend\$3) near4 paramete\$2)) and (compil\$3 near4 (program or code or source)) and ((portable or mobile or terminal) near3 device) and ((program or source or code) near5 (generat\$3 or develop\$4 or creat\$3 or regenerat\$4 or produc\$5)).AB. and (@ad < "20030820" or @prad < "20030820" or @lad < "20030820") | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/10/29 00:40 |
| S35 | 2 | "20030149958" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/10/29 16:36 |
| S36 | 2 | "20010046862" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/10/29 16:39 |
| S37 | 2 | "6934532".pn. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/10/29 16:40 |
| S38 | 2 | "7257620".pn. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/10/29 16:40 |
| S39 | 2 | "6851106".pn. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/10/29 16:41 |

| | | | | | | |
|-----|----|--|--|----|-----|---------------------|
| S40 | 2 | "7152229".pn. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/10/29 16:41 |
| S41 | 16 | (US-20070168912-\$ or US-20070168911-\$ or US-20050080764-\$ or US-20030145282-\$ or US-20040186817-\$ or US-20030149958-\$). did. or (US-7257620-\$ or US-5228100-\$ or US- 7152229-\$ or US- 4692896-\$ or US- 5819074-\$ or US- 5878262-\$ or US- 5937188-\$ or US- 6934532-\$ or US- 6851106-\$).did. or (JP- 60069781-\$).did. | US-PGPUB; USPAT; JPO | OR | OFF | 2009/10/29 16:48 |
| S42 | 7 | S41 and (reduc\$5 same size) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/10/29 16:48 |
| S43 | 7 | S41 and ((reduc\$5 or decreas\$3 or cut\$4) same size) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/10/29 16:52 |
| S44 | 8 | S41 and ((reduc\$5 or decreas\$3 or cut\$4 or monitor\$3 or warn\$4) same size) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/10/29 16:53 |
| S45 | 16 | (US-20070168912-\$ or US-20070168911-\$ or US-20050080764-\$ or US-20030145282-\$ or US-20040186817-\$ or US-20030149958-\$). did. or (US-7257620-\$ or US-5228100-\$ or US- 7152229-\$ or US- 4692896-\$ or US- 5819074-\$ or US- 5878262-\$ or US- 5937188-\$ or US- 6934532-\$ or US- 6851106-\$).did. or (JP- 60069781-\$).did. | US-PGPUB; USPAT; JPO | OR | OFF | 2009/10/29 16:57 |

| | | | | | | |
|-----|-----|--|--|----|-----|---------------------|
| S46 | 10 | S45 and (size same (monitor\$3 or reduc\$4 or cut\$4 or decreas\$3 or warn\$3 or notif\$5 or chang\$3)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/10/29 16:59 |
| S47 | 3 | S45 and ((size same (paramete\$2 or input)) same (limit\$3 or notif\$5 or warn\$4 or aler\$5)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/10/29 17:09 |
| S49 | 203 | ((bas\$2 or basis) near6 ((paramete\$2 or input) same ((creat\$3 or generat\$3 or produc\$3 or regenerat\$3) near5 (program or code or application or source)))) and (compil\$3 near4 (program or source or code or application)) and ((data or program or code) same size) and (@ad < "20030820" or @prad < "20030820" or @rlad < "20030820") | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/10/30 12:50 |
| S50 | 97 | ((bas\$2 or basis) near6 ((paramete\$2 or input) same ((creat\$3 or generat\$3 or produc\$3 or regenerat\$3) near5 (program or code or application or source)))) and (compil\$3 near4 (program or source or code or application)) and ((data or program or code)near3 size) and (@ad < "20030820" or @prad < "20030820" or @rlad < "20030820") | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/10/30 12:51 |

| | | | | | | |
|-----|----|--|--|----|-----|---------------------|
| S51 | 90 | ((bas\$2 or basis) near6 ((paramete\$2 or input) same ((creat\$3 or generat\$3 or produc\$3 or regenerat\$3) near5 (program or code or application or source)))) and (compil \$3 near4 (program or source or code or application)) and ((data or program or code) near2 size) and (@ad < "20030820" or @prad < "20030820" or @rlad < "20030820") | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/10/30 12:52 |
| S52 | 29 | (US-20070168912-\$ or US-20070168911-\$ or US-20050080764-\$ or US-20030145282-\$ or US-20040186817-\$ or US-20030149958-\$ or US-20090132995-\$ or US-20080155497-\$ or US-20040205706-\$ or US-20040205696-\$ or US-20030172369-\$ or US-20030167455-\$ or US-20030135842-\$ or US-20020100014-\$). did. or (US-7257620-\$ or US-5228100-\$ or US-7152229-\$ or US-4692896-\$ or US-5819074-\$ or US-5878262-\$ or US-5937188-\$ or US-6934532-\$ or US-6851106-\$ or US-7389492-\$ or US-7313785-\$ or US-7278130-\$ or US-7137100-\$ or US-6681383-\$).did. or (JP-60069781-\$).did. | US-PGPUB; USPAT; JPO | OR | OFF | 2009/11/01 22:48 |
| S53 | 5 | S52 and (((limit\$3 or eliminat\$3 or reduc\$3) near4 size) same (inpu \$2 or paramete\$2)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/11/01 22:48 |

| | | | | | | |
|-----|------|--|--|----|-----|---------------------|
| S54 | 3 | S52 and (((input or user) near3 interface) same paramete\$2) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/11/02 01:05 |
| S55 | 3 | S52 and (((input or user or graphical) near7 interface) same paramete\$2) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/11/02 01:08 |
| S56 | 17 | S52 and (((input or user or graphical) near7 interface) same ((generat\$4 or produc\$4 or regenerat\$4) near5 (program or code or software))) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/11/02 01:09 |
| S57 | 18 | S52 and (((input or user or graphical) near7 interface) same ((generat\$4 or produc\$4 or regenerat\$4 or creat\$3) near5 (program or code or software))) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/11/02 01:10 |
| S58 | 2 | S52 and ((check\$3 or compar\$3) same (number near6 (input or parameter\$3))) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/11/02 02:20 |
| S59 | 2 | S52 and ((check\$3 or compar\$3 or determin\$3) same (number near6 (inpu\$2 or parameter\$3))) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/11/02 02:21 |
| S60 | 2974 | ((program or source or code) near6 (generat\$3 or develop\$4 or creat\$3 or regenerat\$4 or produc\$5)) same (paramete\$2 or input)) and ((compar\$4 or check\$3 or determin\$3) near4 (number near4 (inpu\$2 or paramete\$2))) and (@ad < "20030820" or @prad < "20030820" or @rlad < "20030820") | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/11/02 02:23 |

| | | | | | | |
|-----|-----|--|--|----|-----|---------------------|
| S61 | 313 | ((program or source or code) near6 (generat\$3 or develop\$4 or creat\$3 or regenerat\$4 or produc\$5)) same (paramete\$2 or input)) and (compil\$3 near4 (program or code or source)) and ((compar\$4 or check\$3 or determin\$3) near4 (number near4 (inpu\$2 or paramete\$2))) and (@ad < "20030820" or @prad < "20030820" or @rlad < "20030820") | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/11/02 02:26 |
| S62 | 267 | ((program or source or code) near6 (generat\$3 or develop\$4 or creat\$3 or regenerat\$4 or produc\$5)) same (paramete\$2 or input)) and (compil\$3 near4 (program or code or source)) and ((compar\$4 or check\$3 or determin\$3) near4 (number near2 (inpu\$2 or paramete\$2))) and (@ad < "20030820" or @prad < "20030820" or @rlad < "20030820") | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/11/02 02:26 |
| S63 | 61 | ((program or source or code) near6 (generat\$3 or develop\$4 or creat\$3 or regenerat\$4 or produc\$5)) same (paramete\$2 or input)) and (compil\$3 near4 (program or code or source)) and ((compar\$4 or check\$3) near4 (number near2 (inpu\$2 or paramete\$2))) and (@ad < "20030820" or @prad < "20030820" or @rlad < "20030820") | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/11/02 02:29 |

| | | | | | | |
|-----|----|--|--|----|-----|---------------------|
| S64 | 42 | ((program or source or code) near6 (generat\$3 or develop\$4 or creat\$3 or regenerat\$4 or produc\$5)) same (paramete\$2 or input)) and (compil\$3 near4 (program or code or source)) and ((compar\$4 or check\$3) near4 (number near2 (paramete\$2))) and (@ad < "20030820" or @prad < "20030820" or @lad < "20030820") | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/11/02 02:30 |
| S65 | 2 | "6928579".pn. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/11/02 02:57 |
| S66 | 32 | (US-20070168912-\$ or US-20070168911-\$ or US-20050080764-\$ or US-20030145282-\$ or US-20040186817-\$ or US-20030149958-\$ or US-20090132995-\$ or US-20080155497-\$ or US-20040205706-\$ or US-20040205696-\$ or US-20030172369-\$ or US-20030167455-\$ or US-20030135842-\$ or US-20020100014-\$ or US-20050010898-\$ or US-20040181777-\$). did. or (US-7257620-\$ or US-5228100-\$ or US-7152229-\$ or US-4692896-\$ or US-5819074-\$ or US-5878262-\$ or US-5937188-\$ or US-6934532-\$ or US-6851106-\$ or US-7389492-\$ or US-7313785-\$ or US-7278130-\$ or US-7137100-\$ or US-6681383-\$ or US-4992971-\$).did. or (JP-60069781-\$).did. | US-PGPUB; USPAT; JPO | OR | OFF | 2009/11/02 11:32 |

| | | | | | | |
|-----|----|---|--|----|-----|---------------------|
| S67 | 7 | S66 and (photograph \$3 or film\$3 or camera) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/11/02 11:33 |
| S68 | 19 | S66 and (photograph \$3 or film\$3 or camera imag\$3) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/11/02 12:24 |
| S69 | 19 | S66 and (photograph \$3 or film\$3 or camera or imag\$3) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/11/02 12:44 |
| S70 | 25 | S66 and (photograph \$3 or film\$3 or camera or imag\$3 or graphic \$3) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/11/02 12:44 |
| S71 | 1 | ((((program or source or code) near6 (generat \$3 or develop\$4 or creat\$3 or regenerat\$4 or produc\$5)) same (paramete\$2 or input)) and (compil\$3 near4 (program or code or source)) and ((compar \$4 or check\$3) near4 (number near2 (paramete\$2))) and photograph\$3 and (@ad < "20030820" or @prad < "20030820" or @rlad < "20030820")) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/11/02 12:52 |
| S72 | 1 | ((((program or source or code) near6 (generat \$3 or develop\$4 or creat\$3 or regenerat\$4 or produc\$5)) same (paramete\$2 or input)) and (compil\$3 near4 (program or code or source)) and ((compar \$4 or check\$3) near4 (number near2 (paramete\$2))) and (photograph\$3 or film \$3) and(@ad < "20030820" or @prad < "20030820" or @rlad | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/11/02 12:53 |

| | | | | | | |
|-----|----|---|--|----|-----|------------------|
| | | < "20030820") | | | | |
| S73 | 7 | ((program or source or code) near6 (generat\$3 or develop\$4 or creat\$3 or regenerat\$4 or produc\$5)) same (paramete\$2 or input)) and (compil\$3 near4 (program or code or source)) and ((compar\$4 or check\$3) near4 (number near2 (inpu\$2 or paramete\$2))) and (photograph\$3 or film\$3) and (@ad < "20030820" or @prad < "20030820" or @rlad < "20030820")) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/11/02 12:55 |
| S74 | 32 | (US-20070168912-\$ or US-20070168911-\$ or US-20050080764-\$ or US-20030145282-\$ or US-20040186817-\$ or US-20030149958-\$ or US-20090132995-\$ or US-20080155497-\$ or US-20040205706-\$ or US-20040205696-\$ or US-20030172369-\$ or US-20030167455-\$ or US-20030135842-\$ or US-20020100014-\$ or US-20050010898-\$ or US-20040181777-\$). did. or (US-7257620-\$ or US-5228100-\$ or US-7152229-\$ or US-4692896-\$ or US-5819074-\$ or US-5878262-\$ or US-5937188-\$ or US-6934532-\$ or US-6851106-\$ or US-7389492-\$ or US-7313785-\$ or US-7278130-\$ or US-7137100-\$ or US-6681383-\$ or US-4992971-\$).did. or (JP-60069781-\$).did. | US-PGPUB; USPAT; JPO | OR | OFF | 2009/11/02 13:32 |

| | | | | | | |
|-----|----|---|--|----|-----|---------------------|
| S75 | 18 | S74 and (position\$3 or "gps") | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/11/02 13:33 |
| S76 | 18 | S74 and (position\$3 or "gps" or navigation) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/11/02 13:35 |
| S77 | 28 | S74 and (display or "user interface" or "graphical") | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/11/02 13:45 |
| S78 | 28 | S74 and (display or (user near3 interface) or "graphical" or "hci") | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/11/02 13:51 |
| S79 | 14 | S74 and ((search\$3 or research\$3) near4 (data or information or content or item)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/11/02 14:25 |
| S80 | 6 | S74 and (universal) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/11/02 14:34 |
| S81 | 7 | S74 and (universal\$3) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/11/02 14:37 |
| S82 | 11 | S74 and ((universal\$3 or common\$2) near3 us \$3) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/11/02 14:37 |
| S83 | 5 | S74 and ((universal\$3 or common\$2) near3 us \$3) and characte\$2 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/11/02 15:25 |
| S84 | 24 | takashima-norikazu.IN. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/11/02 17:46 |

| | | | | | | |
|-----|----|---|--|----|-----|---------------------|
| S85 | 4 | S84 and (accept\$3 near3 unit) and (produc\$3 near3 unit) and (compil\$3 near2 unit) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/11/02 17:47 |
| S86 | 8 | oikawa-ayumu.IN. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/11/02 17:53 |
| S87 | 4 | S86 and (accept\$3 near3 unit) and (produc\$3 near3 unit) and (compil\$3 near2 unit) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/11/02 17:53 |
| S88 | 32 | (US-20070168912-\$ or US-20070168911-\$ or US-20050080764-\$ or US-20030145282-\$ or US-20040186817-\$ or US-20030149958-\$ or US-20090132995-\$ or US-20080155497-\$ or US-20040205706-\$ or US-20040205696-\$ or US-20030172369-\$ or US-20030167455-\$ or US-20030135842-\$ or US-20020100014-\$ or US-20050010898-\$ or US-20040181777-\$). did. or (US-7257620-\$ or US-5228100-\$ or US-7152229-\$ or US-4692896-\$ or US-5819074-\$ or US-5878262-\$ or US-5937188-\$ or US-6934532-\$ or US-6851106-\$ or US-7389492-\$ or US-7313785-\$ or US-7278130-\$ or US-7137100-\$ or US-6681383-\$ or US-4992971-\$).did. or (JP-60069781-\$).did. | US-PGPUB; USPAT; JPO | OR | OFF | 2009/11/02 19:25 |
| S89 | 8 | S88 and (log) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/11/02 19:26 |

| | | | | | | |
|-----|------|--|--|----|-----|---------------------|
| S90 | 25 | S88 and (log or screen) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/11/02 19:28 |
| S91 | 7 | S88 and (log and screen) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/11/02 19:28 |
| S92 | 2 | S88 and acquir\$3 and (display or log) and ((accept\$3 or receiv\$3) near4 paramete\$2) and (transmit\$4 or transferr\$4 or (output near4 paramete\$2)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/11/02 20:11 |
| S93 | 8 | S88 and acquir\$3 and (display or log) and (transmit\$4 or transferr\$4 or (output near4 paramete\$2)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/11/02 20:12 |
| S94 | 7 | S93 and acquir\$3 and (display or log) and (transmit\$4 or transferr\$4 or (output near4 paramete\$2)) and ((program or code or source) near4 (produc\$4 or generat\$3 or creat\$4 or regenerat\$3)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/11/02 21:44 |
| S97 | 1017 | ((acquir\$3 same (screen or display or window)) same (data or information)) and (display or log) and ((accept\$4 or receiv\$3) near4 (input or paramete2)) and (transmit\$4 or transferr\$4 or (output near4 paramete\$2)) and ((program or code or source) near4 (produc\$4 or generat\$3 or creat\$4 or regenerat\$3)) and (paramete\$2 same input) and (@ad < "20030820" or @prad < "20030820" or @rlad < "20030820") | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/11/02 21:55 |

| | | | | | | |
|-----|-----|--|--|----|-----|------------------|
| S98 | 568 | ((acquir\$3 same (screen or display or window)) same (data or information)) and (display or log) and ((accept\$4 or receiv\$3) near4 (input or paramete2)) and ((transmit\$4 or transferr\$4 or (output near4 paramete\$2)) same network) and ((program or code or source) near4 (produc \$4 or generat\$3 or creat\$4 or regenerat \$3)) and (paramete\$2 same input) and (@ad < "20030820" or @prad < "20030820" or @rlad < "20030820")) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/11/02 21:57 |
| S99 | 565 | ((acquir\$3 same (screen or display or window)) same (data or information)) and (display or log) and ((accept\$4 or receiv\$3) near4 (input or paramete2)) and ((transmit\$4 or transferr\$4 or (output near4 paramete\$2)) same network) and ((program or code or source) near4 (produc \$4 or generat\$3 or creat\$4)) and (paramete\$2 same input) and (@ad < "20030820" or @prad < "20030820" or @rlad < "20030820")) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/11/02 21:57 |

| | | | | | | |
|------|-----|--|--|----|-----|---------------------|
| S100 | 565 | ((acquir\$3 same (screen or display)) same (data or information)) and (display or log) and ((accept\$4 or receiv\$3) near4 (input or paramete2)) and ((transmit\$4 or transferr\$4 or (output near4 paramete\$2)) same network) and ((program or code or source) near4 (produc \$4 or generat\$3 or creat\$4)) and (paramete\$2 same input) and (@ad < "20030820" or @prad < "20030820" or @rlad < "20030820")) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/11/02 22:07 |
| S101 | 259 | (acquir\$3 same ((screen or display) near5 (data or information))) and (display or log) and ((accept\$4 or receiv\$3) near4 (input or paramete2)) and ((transmit\$4 or transferr\$4 or (output near4 paramete\$2)) same network) and ((program or code or source) near4 (produc \$4 or generat\$3 or creat\$4)) and (paramete\$2 same input) and (@ad < "20030820" or @prad < "20030820" or @rlad < "20030820")) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/11/02 22:08 |

| | | | | | | |
|------|----|---|--|----|-----|------------------|
| S102 | 42 | (acquir\$3 same ((screen or display) near5 (data or information))) and (display or log) and ((accept\$4 or receiv\$3) near4 (input or paramete2)) and (((transmit\$4 or transferr\$4) near4 (program or code or source)) same network) and ((program or code or source) near4 (produc\$4 or generat\$3 or creat\$4)) and (paramete\$2 same input) and (@ad < "20030820" or @prad < "20030820" or @rlad < "20030820")) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/11/02 22:09 |
| S103 | 33 | (US-20070168912-\$ or US-20070168911-\$ or US-20050080764-\$ or US-20030145282-\$ or US-20040186817-\$ or US-20030149958-\$ or US-20090132995-\$ or US-20080155497-\$ or US-20040205706-\$ or US-20040205696-\$ or US-20030172369-\$ or US-20030167455-\$ or US-20030135842-\$ or US-20020100014-\$ or US-20050010898-\$ or US-20040181777-\$ or US-20030177501-\$). did. or (US-7257620-\$ or US-5228100-\$ or US-7152229-\$ or US-4692896-\$ or US-5819074-\$ or US-5878262-\$ or US-5937188-\$ or US-6934532-\$ or US-6851106-\$ or US-7389492-\$ or US-7313785-\$ or US-7278130-\$ or US-7137100-\$ or US-6681383-\$ or US-4992971-\$).did. or (JP- | US-PGPUB; USPAT; JPO | OR | OFF | 2009/11/02 22:54 |

| | | | | | | |
|------|----|---|--|----|-----|---------------------|
| | | 60069781-\$).did. | | | | |
| S104 | 31 | S103 and ((acquir\$3 or obtain\$3 or stor\$3) near3 (data or information or log)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/11/03 00:25 |
| S105 | 21 | S103 and ((acquir\$3 or obtain\$3 or stor\$3) near3 (data or information or log)) and ((transfer\$3 or transmit\$3) near4 (data of information or log)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/11/03 00:26 |
| S106 | 33 | (US-20070168912-\$ or US-20070168911-\$ or US-20050080764-\$ or US-20030145282-\$ or US-20040186817-\$ or US-20030149958-\$ or US-20090132995-\$ or US-20080155497-\$ or US-20040205706-\$ or US-20040205696-\$ or US-20030172369-\$ or US-20030167455-\$ or US-20030135842-\$ or US-20020100014-\$ or US-20050010898-\$ or US-20040181777-\$ or US-20030177501-\$). did. or (US-7257620-\$ or US-5228100-\$ or US-7152229-\$ or US-4692896-\$ or US-5819074-\$ or US-5878262-\$ or US-5937188-\$ or US-6934532-\$ or US-6851106-\$ or US-7389492-\$ or US-7313785-\$ or US-7278130-\$ or US-7137100-\$ or US-6681383-\$ or US-4992971-\$).did. or (JP-60069781-\$).did. | US-PGPUB; USPAT; JPO | OR | OFF | 2009/11/03 11:19 |
| S107 | 4 | S106 and (paramete\$2 same group) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/11/03 11:20 |

| | | | | | | |
|------|----|---|---|----|-----|---------------------|
| S108 | 2 | "6681386".PN. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/11/03 14:23 |
| S109 | 0 | TW-533377 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/11/03 14:25 |
| S110 | 2 | "7016864".pn. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/11/03 14:50 |
| S111 | 2 | "20010046862" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2010/04/15 21:05 |
| S112 | 5 | "20020169591" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2010/04/15 21:05 |
| S113 | 3 | "20030051226" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2010/04/15 21:06 |
| S114 | 2 | "6091895".PN. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2010/04/15 21:06 |
| S115 | 39 | (US-20070168912-\$ or US-20070168911-\$ or US-20050080764-\$ or US-20030145282-\$ or US-20040186817-\$ or US-20030149958-\$ or US-20090132995-\$ or US-20080155497-\$ or US-20040205706-\$ or US-20040205696-\$ or US-20030172369-\$ or US-20030167455-\$ or US-20030135842-\$ or US-20020100014-\$ or US-20050010898-\$ or US-20040181777-\$ or | US-PGPUB; USPAT; JPO | OR | OFF | 2010/04/15 21:14 |

| | | | | | | |
|------|---|--|--|----|-----|---------------------|
| | | US-20030177501-\$ or US-20010046862-\$ or US-20020169591-\$ or US-20030051226-\$). did. or (US-7257620-\$ or US-5228100-\$ or US- 7152229-\$ or US- 4692896-\$ or US- 5819074-\$ or US- 5878262-\$ or US- 5937188-\$ or US- 6934532-\$ or US- 6851106-\$ or US- 7389492-\$ or US- 7313785-\$ or US- 7278130-\$ or US- 7137100-\$ or US- 6681383-\$ or US- 4992971-\$ or US- 6681386-\$ or US- 7016864-\$ or US- 6091895-\$).did. or (JP- 60069781-\$).did. | | | | |
| S116 | 2 | S115 and ("PDA" or ((palm or mobile) near2 device)) and (stor\$4) and (photograph\$3 or camera) and (screen or display) and (accept \$3 or command\$3) and (compil\$3) and (source or code) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2010/04/15 21:25 |
| S117 | 3 | S115 and ("PDA" or ((palm or mobile) near2 device)) and (stor\$4) and (photograph\$3 or camera) and (screen or display) and (accept \$3 or command\$3) and (source or code) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2010/04/15 22:23 |
| S118 | 0 | ("PDA" or ((palm or mobile) near2 device)). CLM. and (stor\$4). CLM. and (photograph \$3 or camera).CLM. and (screen or display). CLM. and (accept\$3 or command\$3).CLM. and (source or code).CLM. and 717/140.CCLS. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2010/04/15 23:39 |

EAST Search History (Interference)

| Ref # | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|-------|------|---|-----------------------|------------------|---------|------------------|
| L4 | 0 | ((program or code or application) near3 (creat\$3 or generat \$3)).CLM. and (((mobile or portable) near3 device) or "PDA"). CLM. and ((display or screen) near3 stor \$4).CLM. and (accept \$3).CLM. and (produc\$4).CLM. and (compil\$3).CLM. and (instruct\$4 or control\$3).CLM. and 717/121.CCLS. | USPAT; UPAD | OR | OFF | 2010/04/17 02:17 |
| L5 | 0 | ((program or code or application) near3 (creat\$3 or generat \$3)).CLM. and (((mobile or portable) near3 device) or "PDA"). CLM. and ((display or screen) near3 stor \$4).CLM. and (accept \$3).CLM. and (produc\$4).CLM. and (compil\$3).CLM. and (instruct\$4 or control\$3).CLM. and 717/121.CCLS. | US-PGPUB; USPAT; UPAD | OR | OFF | 2010/04/17 02:18 |
| L6 | 0 | ((program or code or application) near3 (creat\$3 or generat \$3)).CLM. and (((mobile or portable) near3 device) or "PDA"). CLM. and ((display or screen) near3 stor \$4).CLM. and (accept \$3).CLM. and (produc\$4).CLM. and (compil\$3).CLM. and (instruct\$4 or control\$3).CLM. and 717/106.CCLS. | US-PGPUB; USPAT; UPAD | OR | OFF | 2010/04/17 02:18 |

| | | | | | | |
|----|---|---|-----------------------|----|-----|------------------|
| L7 | 0 | ((program or code or application) near3 (creat\$3 or generat \$3)).CLM. and (((mobile or portable) near3 device) or "PDA"). CLM. and ((display or screen) near3 stor \$4).CLM. and (accept \$3).CLM. and (produc\$4).CLM. and (compil\$3).CLM. and (instruct\$4 or control\$3).CLM. and 709/217.CCLS. | US-PGPUB; USPAT; UPAD | OR | OFF | 2010/04/17 02:18 |
| L8 | 0 | ((program or code or application) near3 (creat\$3 or generat \$3)).CLM. and (((mobile or portable) near3 device) or "PDA"). CLM. and ((display or screen) near3 stor \$4).CLM. and (accept \$3).CLM. and (produc\$4).CLM. and (compil\$3).CLM. and (instruct\$4 or control\$3).CLM. and 717/106.CCLS. | US-PGPUB; USPAT; UPAD | OR | OFF | 2010/04/17 02:18 |

4/17/10 2:19:03 AM

C:\Documents and Settings\cchow\My Documents\EAST\Workspaces\10568504new.wsp